

材料安全数据表

MATERIAL SAFETY DATA SHEET

Prepared For : **Wuxi Fengrui New Energy Power Battery Co., Ltd.**
申请商 无锡丰瑞新能源动力电池有限公司
No.5 Jingxin Road, Xibei Town, Xishan District, Wuxi
City
无锡市锡山区锡北镇泾新路5号

Prepared By : **Shenzhen LCS Compliance Testing Laboratory Ltd.**
编制单位 深圳立讯检测股份有限公司
Room 101, 201, Building A and Room 101, 301, Building C, Juji Industrial Park, Yabianxueziwei, Shajing
Street, Bao'an District, Shenzhen, Guangdong, China
广东省深圳市宝安区沙井街道衙边学子围巨基工业园A栋
101、201, C栋101、301

Issue Date : **2026.04.14**
发行日期

Report Number : **A03066088SE**
报告编号



Written by: Wendy Liang
(制作)

Approved by: [Signature]
(批准)



材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request. 这份材料安全数据表是根据客户提供的信息编辑，其内容和格式按客户要求来修订。

Section 1-Chemical Product and Company Identification

第一部分-化学品及企业标识

Product Name 产品名称	Low-Voltage Energy Storage Battery 低压储能锂电池
Model 型号	FN310
Trade Mark 商标	N/A
Ratings 额定参数	51.2V, 314Ah, 16.07kWh
Weight 重量	123.4kg
Manufacturer 制造商	Wuxi Fengrui New Energy Power Battery Co., Ltd. 无锡丰瑞新能源动力电池有限公司
Manufacturer Address 制造商地址	No.5 Jingxin Road, Xibei Town, Xishan District, Wuxi City. 无锡市锡山区锡北镇泾新路5号
Emergency Telephone 应急电话	15861690112
Fax 传真	/

Section 2- Hazards Identification

第二部分-危险性概述

Emergency overview 紧急情况概述	N/A 不适用
Classification according to GHS GHS分类	Not a dangerous substance according to GHS 不属于GHS危险物品
Label elements: 标签元素	
Hazard pictogram(s) 危险标签图	Not Applicable 不适用
Signal word 提示语	Not Applicable 不适用
Hazard statement(s) 危险声明	Not Applicable 不适用
Precautionary statement(s): 预防声明	
Prevention 预防	Not Applicable 不适用
Response 反应	Not Applicable 不适用
Disposal 废弃处理	Not Applicable 不适用
Environmental hazards: 环境危害	No relevant information 无相关信息



SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Page 2 of 10

材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

Important symptoms: 重要症状	See section 11 for more information 见第11部分更多信息
------------------------------------	---

Section 3- Composition Information

第三部分-成分信息

Chemical Composition	Chemical	CAS No.	Weight (%)
Lithium Iron Phosphate (LiFePO ₄) 磷酸铁锂	LiFePO ₄	15365-14-7	24
Graphite 石墨	C ₂₄ X ₁₂	7782-42-5	10 - 30
Phosphate(1-), hexafluoro-, lithium 六氟磷酸锂	LiPF ₆	21324-40-3	23
Copper 铜箔	Cu	7440-50-8	7-13
Aluminium 铝箔	Al	7429-90-5	5-10
Nickel 镍	Ni	7440-02-0	1-5

" * " The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4- First Aid Measures

第四部分-急救措施

Eye contact 眼睛接触	Flush eyes with plenty of water for least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. 万一接触, 立即用大量的清水冲洗至少15分钟, 翻起上下眼睑, 直到化学的残留物消失为止, 迅速就医。
Skin contact 皮肤接触	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 万一接触, 用大量的水冲洗至少15分钟, 同时除去污染的衣物和鞋子, 迅速就医。
Inhalation 吸入	Remove from exposure and move to fresh air immediately. Use oxygen if available. 立即从暴露处移至空气清新处, 如果呼吸困难给予输氧, 立即就医。
Ingestion 摄入	Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician. 饮用两杯牛奶或水, 如果当事人仍然清晰可以采取催吐的方法, 并且立即就医。

Section 5- Fire Fighting Measures

第五部分-消防措施

Flash Point 燃点	N/A 不适用
Auto-Ignition Temperature 自燃温度	N/A 不适用



SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Page 3 of 10

材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

Extinguishing Media 灭火介质	H ₂ O, CO ₂ 水, 二氧化碳
Special Fire-Fighting Procedures 特殊灭火程序	Self-contained breathing apparatus 自给式呼吸器
Unusual Fire and Explosion Hazards 异常火灾或爆炸	Cell may vent when subjected to excessive heat-exposing battery contents 当电芯暴露于过热的环境中时, 安全阀可能会打开
Hazardous Combustion Products 燃烧产生的危险物品	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳, 二氧化碳, 锂氧化物烟气

Section 6- Accidental Release Measures

第六部分-泄露应急处理

Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

个人预防措施、保护设备和应急程序:

如果电池被泄露, 让人员离开该区域直到烟雾消散。提供最大限度的通风, 清除有害气体。首选的反应就是离开这个地区并消散气体, 避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时, 液体可以用砂、泥土或其他惰性物质来吸收, 污染区域应该保持通风。

Environment precautions:

Do not allow product to reach sewage system or any water source.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

环境预防措施:

不允许产品到达排水系统或任何水源。
如果渗透进排水系统或任何水源, 通知相应的部门。
不允许进入下水道/表面或地下水。

Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

抑制和清理材料的方法:

如果电池外壳被拆除, 少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置, 避免可溶物质进入大地、下水道或水源。

Section 7- Handling and Storage

第七部分-操作处置和储存

Handling 操作处置	The battery should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids. 禁止打开、毁坏或焚烧电池, 因为电池有可能在这些处理过程中发生爆炸、破
-------------------------	--



SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Page 4 of 10

材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

	<p>裂或泄露等事故。</p> <p>禁止将电池短路、过充、强制放电或扔入火中。</p> <p>禁止挤压或刺穿电池，或将电池浸入溶液中。</p>
<p>Storage 储存</p>	<p>Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided.</p> <p>Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.</p> <p>禁止物理或电滥用，禁止高温储存，最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。</p> <p>禁止将电池接触加热设备，或将电池长时间直接暴露在阳光中。</p>
<p>Other Precautions 其他要注意的防范措施</p>	<p>The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.</p> <p>拆解、挤压、直接放入火中或高温条件下，电池可能发生爆炸和燃烧。</p> <p>禁止短接或将电池正负极错误的安装在设备中。</p>
<p>Section 8- Exposure Controls/Personal Protection 第八部分-接触控制和个体防护</p>	
<p>Engineering Controls 设计控制</p>	<p>Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor.</p> <p>Keep away from heat and open flame. Store in a cool, dry place.</p> <p>设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。</p>
<p>Personal Protective Equipment 个人防护装备</p>	<p>Respiratory Protection: Not necessary under normal conditions.</p> <p>Skin and body Protection: Not necessary under normal conditions, Wear suitable protective clothing and gloves if handling an open or leaking battery.</p> <p>Hand protection: Wear suitable gloves if handling an open or leaking battery.</p> <p>Eye Protection: Not necessary under normal conditions, Wear safety glasses if handling an open or leaking battery.</p> <p>呼吸防护：在正常情况下不需要。</p> <p>皮肤和身体防护：在正常情况下不需要，如果处理一个裂开的或泄漏的电池需要穿戴适当的防护服和手套。</p> <p>手保护：如果处理一个裂开的或泄漏的电池需要戴适当手套。</p> <p>眼睛保护：在正常情况下不需要，如果处理一个裂开的或泄漏的电池需要戴上安全眼镜。</p>
<p>Other Protective Equipment 其它防护装备</p>	<p>Have a safety shower and eye wash fountain readily available in the immediate work area.</p> <p>在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。</p>
<p>Hygiene Measures 卫生措施</p>	<p>Do not eat, drink, or smoke in work area. Maintain good housekeeping.</p> <p>在工作区域不得进食，饮水或吸烟。</p>
<p>Section 9- Physical and Chemical Properties 第九部分-物理和化学特性</p>	



材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

Form 形态	Solid 固体
Color 颜色	White 白色
Odour 气味	Not Applicable 不适用
pH 酸碱度	Not Applicable 不适用
Melting point/freezing point 熔点/凝固点	Not Applicable 不适用
Boiling Point and Boiling range 沸点、沸点范围:	Not Applicable 不适用
Flash Point 易燃度	Not Applicable 不适用
Upper/lower flammability or explosive limits 自燃或爆炸的上、下极限	Not Applicable 不适用
Vapor Pressure 蒸汽压	Not Applicable 不适用
Vapor Density 蒸汽密度	Not Applicable 不适用
Relative density 相对密度	Not Applicable 不适用
Solubility in Water 水溶性	Not Applicable 不适用
Auto-ignition temperature 自燃温度	Not Applicable 不适用
Decomposition temperature 分解温度	Not Applicable 不适用
Evaporation rate 蒸发速率	Not Applicable 不适用
Flammability (soil, gas) 易燃性(土壤、天然气)	Not Applicable 不适用
Viscosity 粘性	Not Applicable 不适用
Section 10- Stability and reactivity 第十部分 稳定性和反应活性	
Stability 稳定性	The product is stable under conditions described Section 7 产品在第七部分所述的条件下稳定
Conditions to Avoid 应避免的条件	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路, 长时间暴露在潮湿的条件下。
Incompatible Materials 不兼容的材料	Oxidizing agents, acid, base. 氧化剂, 酸, 碱。



SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Page 6 of 10

Scan code to check authenticity

材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

Hazardous Decomposition Products 危险分解物	Carbon monoxide, carbon dioxide, lithium oxide fumes. 一氧化碳、二氧化碳、氧化锂烟雾。
Possibility of Hazardous Reaction 危险反应的可能性	Not Applicable 不适用

Section 11 – Toxicological Information

第十一部分-毒理学资料

Irritation 刺激	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur. 如果电芯的外壳受到机械、热或电的滥用到达一定程度，会发生刺激的风险。如果发生这种情况，可能会刺激皮肤、眼睛和呼吸道。
Sensitization 致过敏	Not Applicable 不适用
Neurological Effects 影响神经系统	Not Applicable 不适用
Teratogenicity 致畸	Not Applicable 不适用
Reproductive Toxicity 再生毒性	Not Applicable 不适用
Mutagenicity (Genetic Effects) 诱变(遗传效应)	Not Applicable 不适用
Toxicologically Synergistic Materials 附带材料毒理性	Not Applicable 不适用

Section 12- Ecological Information

第十二部分-生态学资料

Ecological Toxicity 生态毒性	Not Applicable 不适用
Mobility in soil 在土壤中的流动性	Not Applicable 不适用
Persistence and Degradability 持久性和分解性	Not Applicable 不适用
Bioaccumulation potential 生物聚积	Not Applicable 不适用
Other Adverse Effects 其他不利影响	Not Applicable 不适用

Section 13- Disposal Considerations

第十三部分-废弃处置



材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

Product disposal recommendation 产品废弃处理建议	Observe local, state and federal laws and regulations. 遵守当地、州和联邦法律和法规。
Packaging disposal recommendation 包装处理建议	Disposal must be made according to official regulations 废弃处理必须根据当地法规
Section 14 – Transport Information 第十四部分-运输信息	
Label for conveyance 运输标签	Lithium Battery Label 锂电池标签
UN Number UN编号	UN 3480 or UN 3481 UN 3480 或 UN 3481
Transport hazard class(es) 运输风险类别	9
EMS Number EMS 编号	F-A,S-I
Packing group 包装等级	965 or 966 II
	967 —
Marine pollutant 海洋污染物	No 无污染
UN Proper shipping name 联合国运输专用名称	Lithium ion Batteries (Including lithium ion polymer batteries) 锂离子电池(包括锂离子聚合物电池) Lithium ion Batteries packed with equipment (Including lithium ion polymer batteries) 锂离子电池和设备包装在一起(包括锂离子聚合物电池) Lithium ion Batteries contained in equipments (Including lithium ion polymer batteries) 设备里内含锂离子电池(包括锂离子聚合物电池)
ICAO/IATA	Can be shipped by air in accordance with international Civil Aviation Organization (ICAO), TI or International Air Transport Association (IATA) DGR 67 th Packing Instructions Section IA of 965 or Section I of 966~967 appropriately. 可根据国际民用航空组织(ICAO), TI或国际航空协会(IATA) DGR 67版本包装说明965第IA节规定或966~967第I节规定进行空运
IMDG CODE	International Maritime Dangerous Goods Code IMDG CODE (Amdt 42-24) 《国际海运危险货物规则》(IMDG CODE)相关规定 IMDG CODE (Amdt 42-24)
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road 《国际危险货物道路运输欧洲协定》(ADR)相关规定
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail



材料安全数据表

Material Safety Data Sheet

REPORT NO.: A03066088SE

《国际危险货物铁路运输欧洲协定》(RID)相关规定

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

危险品规例规定，运输前，每一个电池设计须通过联合国试验和标准手册 38.3 节所载的测试。

Section 15- Regulatory information

第十五部分 法规信息

Law information

法律信息

《Dangerous Goods Regulations》

《危险物品规则》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《对危险货物运输的有关规定的建议》

《International Maritime Dangerous Goods》

《国际海运危险货物规则》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《危险品安全运输技术指令》

《Classification and code of dangerous Goods》

《危险货物分类和品名编号》

《Consumer Product Safety Act》(CPSA)

《消费产品安全法》

《Federal Environmental Pollution Control Act》(FEPCA)

《联邦环境污染控制法》

《Resource Conservation and Recovery Act》(RCRA)

《资源保护及恢复法案》

《European Agreement concerning the International Carriage of Dangerous》

《国际危险货物道路运输欧洲协定》

《Regulations concerning the International Carriage of Dangerous》

《国际危险货物铁路运输欧洲协定》

In according with all Federal, State and local laws.

根据所有联邦、州和地方法律。

Section 16- Other Information

第十六部分-其它信息

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,飞机没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

-- End of Report --

-- 报告结束 --



SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.

Page 9 of 10